## PATENT COOPERATION TREATY

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2)	Assistant Commissioner for Patents United States Patent and Trademark Office Box PCT Washington, D.C.20231 ETATS-UNIS D'AMERIQUE
Date of mailing (day/month/year) 27 April 2000 (27.04.00)	in its capacity as elected Office
International application No.	
PCT/EP99/06246	Applicant's or agent's file reference PD980063
International filing date (day/month/year) 26 August 1999 (26.08.99)	Priority date (day/month/year) 07 September 1998 (07.09.98)
Applicant  KEESEN, Heinz-Werner et al	
NEEDERY, HOME-WORKS OF DE	
1. The designated Office is hereby notified of its election ma    X   in the demand filed with the International Prelimina	ory Examining Authority on: 00 (09.03.00)
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20 Switzerland	Authorized officer C. Cupello

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35




(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference		n of Transmittal of International Search Report V220) as well as, where applicable, item 5 below.
PD980063 International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
••		
PCT/EP 99/06246	26/08/1999	07/09/1998
DEUTSCHE THOMSON—BRANDT G	MBH et al.	
This international Search Report has been according to Article 18. A copy is being to	n prepared by this international Searching Adansmitted to the International Bureau.	uthority and is transmitted to the applicant
	of a total of sheets. a copy of each prior art document cited in the	ls report.
Basis of the report     With regard to the language, the language in which it was filed, uni	international search was carried out on the b ess otherwise indicated under this item.	asis of the international application in the
the International search w Authority (Rule 23.1(b)).	as carried out on the basis of a translation of	the international application furnished to this
b. With regard to any nucleotide an was carried out on the basis of the contained in the international filed together with the international subsequently to the statement that the subsequent that the subsequent that the informational application at the statement that the informational	e sequence listing:  enal application in written form.  emational application in computer readable for  this Authority in written form.  this Authority in computer readble form.  esequently furnished written sequence listing  s filed has been furnished.  ermation recorded in computer readable form	
Certain claims were four     Unity of invention is lact	nd unsearchable (See Box I).	
4. With regard to the title,  the text is approved as su  the text has been establish		AM TO BE RECORDED
within one month from the	ned, according to Rule 38.2(b), by this Autho date of mailing of this international search re	rity as it appears in Box III. The applicant may, sport, submit comments to this Authority.
6. The figure of the drawings to be publicated by the applicated by the applicated because the applicant falls because this figure better	cant.	None of the figures.

Box III TEXT OF THE ABSTRACT (Continuation of item 5 of the first sheet)

The part beginning with the words "The streamer( line 6)  $\dots$ " and ending in the words "the invention(line11)..." is deleted. line 11: change "the" into "The"



			Application No 99/06246
A. CLASS IPC 7	IFICATION OF SUBJECT MATTER H04N5/00 G11B27/30	1.5.7.	
	o International Patent Classification (IPC) or to both national classi	fication and IPC	
	SEARCHED		
IPC 7	ocumentation searched (classification system followed by classification sy	ation symbols)	
Documenta	tion searched other than minimum documentation to the extent that	t such documents are included in the field	ds searched -
Electronic o	lata base consulted during the international search (name of data b	pase and, where practical, search terms i	used)
	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the re	elevant passages	Relevant to claim No.
X	US 5 689 507 A (VLOT MARNIX C E 18 November 1997 (1997-11-18) column 8, line 1-24	T AL)	1,2,6-8
<b>X</b>	EP 0 710 021 A (HITACHI LTD) 1 May 1996 (1996-05-01) column 11, line 46 -column 16, l	ine 16	1,6,7
X	WO 97 00579 A (DIESS MICHAEL SCO; BLATTER HAROLD (US); BEYERS WIL WESLEY JR) 3 January 1997 (1997-page 3, line 10 -page 13, line 1	1,6,7	
		-/	
X Furth	er documents are listed in the continuation of box C.	X Patent family members are list	ted in annex.
"A" docume conside "E" earlier dilling de "L" documer which is citation "O" docume other m "P" documer later the	nt which may throw doubts on priority claim(s) or so cited to establish the publication date of another or other special reason (as specilied) in the special reason (as specilied) in the special reason (as capacitied) in the special reason or all disclosure, use, exhibition or leans in the priority to the international filing date but an the priority date claimed	<ul> <li>"T" later document published after the or priority date and not in conflict we cited to understand the principle or invention</li> <li>"X" document of particular relevance; the cannot be considered novel or can involve an inventive step when the "Y" document of particular relevance; the cannot be considered to involve an document is combined with one or ments, such combination being ob in the art.</li> <li>"&amp;" document member of the same pater.</li> </ul>	with the application but theory underlying the elaimed invention not be considered to document is taken alone to laimed invention inventive step when the more other such docuvious to a person skilled
	ctual completion of the international search  B December 1999	Date of mailing of the international 21/12/1999	search report
	ailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Mourik, J	

Form PCT/ISA/210 (second sheet) (July 1992)

1

onal Application No T/EP 99/06246

AL) 26 November 1996 (1996-11-26) column 4, line 45 -column 5, line 23  X			T/EP 99/06246
SAEIJS R W J J ET AL: "AN EXPERIMENTAL DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO AN EXPERIMENTAL DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO SIGNALS. SIGNALS"    IEEE TRANSACTIONS ON CONSUMER ELECTRONICS, vol. 41, no. 3, 1 August 1995 (1995–08–01), pages 651–660 651, XP000539519   ISSN: 0098–3063			
DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO AN EXPERIMENTAL DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO SIGNALS. SIGNALS" IEEE TRANSACTIONS ON CONSUMER ELECTRONICS, vol. 41, no. 3, 1 August 1995 (1995-08-01), pages 651-660 651, XP000539519 ISSN: 0098-3063 * page 653, left column - page 654, left column: paragraphs 3.1 and 3.2  US 5 579 183 A (SAEIJS RONALD W J J ET AL) 26 November 1996 (1996-11-26) column 4, line 45 -column 5, line 23  EP 0 774 753 A (VICTOR COMPANY OF JAPAN) 21 May 1997 (1997-05-21) column 12, line 49 -column 22, line 17  Column 12, line 49 -column 22, line 17  EP 0 749 244 A (MATSUSHITA ELECTRIC IND CO LTD) 18 December 1996 (1996-12-18) the whole document  BANKS D ET AL: "BREAKING OPEN THE SET TOP BOX" PROCEEDINGS OF THE SPIE, vol. 3228, 4 November 1997 (1997-11-04), pages 105-116, XP002064906 the whole document  BLOKS R H J: "The IEEE-1394 high speed serial bus" PHILIPS JOURNAL OF RESEARCH, vol. 50, no. 1, 1 January 1996 (1996-01-01), page 209-216 XP004008212 ISSN: 0165-5817	Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
AL) 26 November 1996 (1996-11-26) column 4, line 45 -column 5, line 23	X	DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO AN EXPERIMENTAL DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO SIGNALS. SIGNALS"  IEEE TRANSACTIONS ON CONSUMER ELECTRONICS, vol. 41, no. 3, 1 August 1995 (1995-08-01), pages 651-660 651, XP000539519  ISSN: 0098-3063  * page 653, left column - page 654, left	3,9
21 May 1997 (1997-05-21) column 12, line 49 -column 22, line 17  EP 0 749 244 A (MATSUSHITA ELECTRIC IND CO LTD) 18 December 1996 (1996-12-18) the whole document  BANKS D ET AL: "BREAKING OPEN THE SET TOP BOX" PROCEEDINGS OF THE SPIE, vol. 3228, 4 November 1997 (1997-11-04), pages 105-116, XP002064906 the whole document  BLOKS R H J: "The IEEE-1394 high speed serial bus" PHILIPS JOURNAL OF RESEARCH, vol. 50, no. 1, 1 January 1996 (1996-01-01), page 209-216 XP004008212 ISSN: 0165-5817	X	AL) 26 November 1996 (1996-11-26)	3,9
A column 12, line 49 -column 22, line 17  EP 0 749 244 A (MATSUSHITA ELECTRIC IND CO LTD) 18 December 1996 (1996-12-18) the whole document  A BANKS D ET AL: "BREAKING OPEN THE SET TOP BOX" PROCEEDINGS OF THE SPIE, vol. 3228, 4 November 1997 (1997-11-04), pages 105-116, XP002064906 the whole document  A BLOKS R H J: "The IEEE-1394 high speed serial bus" PHILIPS JOURNAL OF RESEARCH, vol. 50, no. 1, 1 January 1996 (1996-01-01), page 209-216 XP004008212 ISSN: 0165-5817	X	EP 0 774 753 A (VICTOR COMPANY OF JAPAN)	3,9
LTD) 18 December 1996 (1996-12-18) the whole document  A BANKS D ET AL: "BREAKING OPEN THE SET TOP BOX" PROCEEDINGS OF THE SPIE, vol. 3228, 4 November 1997 (1997-11-04), pages 105-116, XP002064906 the whole document  A BLOKS R H J: "The IEEE-1394 high speed serial bus" PHILIPS JOURNAL OF RESEARCH, vol. 50, no. 1, 1 January 1996 (1996-01-01), page 209-216 XP004008212 ISSN: 0165-5817	A		1,6,7
BOX" PROCEEDINGS OF THE SPIE, vol. 3228, 4 November 1997 (1997-11-04), pages 105-116, XP002064906 the whole document  A BLOKS R H J: "The IEEE-1394 high speed serial bus" PHILIPS JOURNAL OF RESEARCH, vol. 50, no. 1, 1 January 1996 (1996-01-01), page 209-216 XP004008212 ISSN: 0165-5817	X	LTD) 18 December 1996 (1996-12-18)	4,10,11
serial bus" PHILIPS JOURNAL OF RESEARCH, vol. 50, no. 1, 1 January 1996 (1996-01-01), page 209-216 XP004008212 ISSN: 0165-5817	A	BOX" PROCEEDINGS OF THE SPIE, vol. 3228, 4 November 1997 (1997-11-04), pages 105-116, XP002064906	
	4	serial bus" PHILIPS JOURNAL OF RESEARCH, vol. 50, no. 1, 1 January 1996 (1996-01-01), page 209-216 XP004008212 ISSN: 0165-5817	

nation on patent family members

ional Application No TCT/EP 99/06246

Patent document cited in search repo		Publication date		Patent family member(s)	Publication date
US 5689507	- A	18-11-1997	EP	0723732 A	31-07-1990
			ĒΡ	0717909 A	26-06-1996
			WO	9602098 A	25-01-1990
			WO	9601540 A	18-01-1996
			JP	9502851 T	18-01-1997
			JP	9502851 T	18-03-1997
			ÜS	5633871 A	27-05-1997
EP 0710021	Α	01-05-1996	JP	8125971 A	 17-05-1996
			JP	8336131 A	17-12-1996
			CN	1132442 A	02-10-1996
			ĒΡ	0891082 A	13-01-1999
			SG	34287 A	06-12-1996
WO 9700579	Α	03-01-1997	AU	5924996 A	15-01-1997
			AU	5929096 A	15-01-1997
			CN	1192838 A	09-09-1998
			CN	1193442 A	16-09-1998
			DE	69603366 D	26-08-1999
			DE	69603366 T	18-11-1999
			EP	0832535 A	01-04-1998
			ΕP	0832536 A	01-04-1998
			JP	11507755 T	06-07-1999
			JP	11507790 T	06-07-1999
			WO	9700580 A	
			US	5841987 A	03-01-1997
				504196/ A	24-11-1998 
US 5579183	Α	26-11-1996	AU	692235 B	04-06-1998
			AU	1821895 A	30-10-1995
			AU	688868 B	19-03-1998
			AU	1822095 A	30-10-1995
			AU	701481 B	28-01-1999
			AU	6079498 A	18-06-1998
			BR	9505873 A	29-12-1998
			EP	0702879 A	27-03-1996
			ĒP	0702877 A	27-03-1996
			ĒP	0858230 A	12-08-1998
			FI	955887 A	07-12-1995
		•	НŪ	73451 A	28-08-1996
			WO	9527977 A	19-10-1995
			WO	9527977 A	19-10-1995
			JP	9505195 T	20-05-1995
			JP	8511413 T	26-11-1996
			PL		
			US	311953 A	18-03-1996
				5596581 A	21-01-1997
			US	5566174 A	15-10-1996 
	Α	21-05-1997	JP	9139914 A	27-05-1997
EP 0774753			JP	9186665 A	15-07-1997
EP 0774753			JP	9204738 A	05-08-1997
EP 0774753			CN	1156880 A	13-08-1997
EP 0774753 					~~~~~~~~
EP 0774753  EP 0749244		18-12-1996	JP JP	9009217 A 9046376 A	10-01-1997 14-02-1997

## **PCT**





## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: H04N 5/00, G11B 27/30

**A1** 

(11) International Publication Number:

WO 00/14952

(43) International Publication Date:

16 March 2000 (16.03.00)

(21) International Application Number:

PCT/EP99/06246

(22) International Filing Date:

26 August 1999 (26.08.99)

(30) Priority Data:

98250316.1 99250056.1 7 September 1998 (07.09.98)

2 March 1999 (02.03.99)

EP EP

(71) Applicant (for all designated States except US):

DEUTSCHE THOMSON-BRANDT GMBH [DE/DE];
Hermann-Schwer-Strasse 3, D-78048 Villingen-Schwenningen (DE).

(72) Inventors; and


- (75) Inventors'Applicants (for US only): KEESEN, Heinz-Werner [DE/DE]; Siemensstrasse 22, D-30173 Hannover (DE). OSTERMANN, Ralf [DE/DE]; Bethlehemstrasse 21, D-30451 Hannover (DE).
- (74) Agent: HARTNACK, Wolfgang; Deutsche Thomson-Brandt GmbH, Licensing & Intellectual Property, Karl-Wiechert-Allee 74, D-30625 Hannover (DE).

(81) Designated States: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### **Published**

With international search report.

(54) Title: METHOD AND APPARATUS FOR TIMESTAMPING A BITSTREAM TO BE RECORDED



#### (57) Abstract

A settop box can be connected to a DVD Streamer via an IEEE1394 interface which contains means to timestamp data and to strip off these timestamps again, using them for timing regeneration. The DVD Streamer also must regenerate the timing of data packets as it was upon recording, when these packets are played back. The settop box itself adds timestamps to the data packets before sending them through the IEEE1394 interface. These timestamps pass the IEEE1394 interface unnoticed, i.e. as part of the payload. These timestamps are used when the DVD streamer plays back a stream. The advantage is that there is only one timing/regeneration process involved and that no jitter is accumulated. As an alternative, the stream recorder uses the IEEE1394 timestamps and evaluates them when replaying in order to assign to the data packets the correct temporal position.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Słovenia
AM	Armenia	Fl	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	•	
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania .		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

#### Claims

35

WO 00/14952

- Method for timestamping a bitstream (A, B, C, D, SI) to 1. be recorded or for using timestamps when replaying from a stream recorder (STRREC), wherein a device (TU, DEM, 5 TS, TSI, DEC) or signal source outputting said bitstream to be recorded adds (TSI) said timestamps (TS) to data packets of said bitstream (A, SI) and wherein the data packets of said bitstream pass to said stream recorder through a network (1394TR, 1394RECS, 1394TRS, 10 1394REC) which causes network jitter and for which network said timestamps belong to the payload of said data packets, and wherein said timestamps are used when replaying said data packets from said stream recorder in order to relocate the replayed data packets to the cor-15 responding original temporal position in said bitstream.
- 2. Method according to claim 1, wherein said network is an IEEE1394 connection or is an Ethernet or is the Internet.
- 3. Method for timestamping an MPEG bitstream (A, B, C, D, SI) to be recorded or for using timestamps when replaying from a stream recorder (STRREC), wherein MPEG timestamps are included in data packets (A, SI) of said MPEG bitstream to be recorded and for the recording additional timestamps generated by said stream recorder become attached to the data packets of said MPEG bitstream to be recorded, and wherein said additional timestamps are used when replaying said data packets from said stream recorder in order to relocate the replayed data packets to the corresponding original temporal position in said MPEG bitstream.
  - 4. Method for timestamping a bitstream (A, B, C, D, SI) to be recorded or for using timestamps when replaying from a stream recorder (STRREC), wherein data packets (A,

35

SI) of said bitstream pass to said stream recorder through a network (1394TR, 1394RECS, 1394TRS, 1394REC) which causes network jitter and which network internally adds network timestamps to data packets of said bitstream in order to reduce said jitter when outputting said data packets, and wherein said stream recorder records said network timestamps and during replay uses said recorded network timestamps in order to relocate the replayed data packets to the corresponding original temporal position in said bitstream. 10

- Method according to claim 4, wherein said network is an 5. IEEE1394 connection.
- Apparatus for timestamping a bitstream (A, B, C, D, SI) 15 6. to be recorded, including:
  - program selection means (TU, DEM) which provide data packets (A, SI) from said bitstream, the data packets belonging to a specific program;
- a network interface (1394TR, 1394REC) which provides 20 data of said data packets to a stream recorder or which receives data of said data packets from said stream recorder, wherein the related network causes network jitter and for which network said timestamps belong to the payload of said data packets and wherein said time-25 stamps are used to relocate the replayed data packets to the corresponding original temporal position in said bitstream;
- means (TS, TSI) for generating timestamps and for adding these timestamps to the data of said data packets, 30 which means provide the output data to said network interface;
  - means (DEC) for decoding replayed data of said data packets received from said network interface.
  - Stream recorder for a bitstream (A, B, C, D, SI), in-7. cluding:
  - a network interface (1394RECS, 1394TRS) which provides

25

35

data of data packets (A, SI) of said bitstream including time-stamps, having been inserted outside said network interface, for recording or which receives replayed recorded data, wherein the related network causes network jitter and for which network said timestamps belong to the payload of said data packets;

- stream recording means (STRREC) which record data of said data packets including said timestamps or which replay data of said data packets, wherein during replay said timestamps are used in order to relocate the replayed data packets to the corresponding original temporal position in said bitstream before the replayed data packets enter said network interface.
- 15 8. Apparatus according to claim 6 or 7, wherein said network is an IEEE1394 connection or is an Ethernet or is the Internet.
- 9. Stream recorder for an MPEG bitstream (A, B, C, D, SI), including:
  - a network interface (1394RECS, 1394TRS) which provides data of data packets (A, SI) of said bitstream, said data packets including MPEG timestamps, for recording or which receives replayed recorded data for data packets including said MPEG timestamps;
- stream recording means (STRREC) which record data of said data packets, including said MPEG timestamps, and additional timestamps generated by said stream recording means which become attached to the data packets of said MPEG bitstream to be recorded, or which replay data of said data packets, wherein during said replay said additional timestamps are used in order to relocate the replayed data packets to the corresponding original temporal position in said MPEG bitstream.
  - 10. Stream recorder for a bitstream (A, B, C, D, SI), including:
  - a network interface (1394RECS, 1394TRS) which provides

15

data of data packets (A, SI) of said bitstream for recording or which receives replayed recorded data, wherein the related network causes network jitter and which network internally adds network timestamps to data packets of said bitstream in order to reduce said jitter when outputting said data packets;

- stream recording means (STRREC) which record data of said data packets including said network timestamps, or which replay data of said data packets, wherein during replay said recorded network timestamps are used in order to relocate the replayed data packets to the corresponding original temporal position in said bitstream before the replayed data packets enter said network interface.
  - 11. Stream recorder according to claim 10, wherein said network is an IEEE1394 connection.



From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

Hartnack, Wolfgang
DEUTSCHE THOMSON-BRANDT GMBH
Patent- und Lizenzabteilung
Karl-Wiechert-Allee 74 THOMSON multimedia

Karl-Wiechert-Allee 7 D-30625 Hannover ALLEMAGNE HOMSON multimedic

Patent Department Administration-Hannove

15, Sep. 2000

PCI

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing (day/month/year)

14.09.2000

Applicant's or agent's file reference

International application No.

PCT/EP99/06246

PD980063 ./

International filing date (day/month/year)

26/08/1999

Priority date (day/month/year)

IMPORTANT NOTIFICATION

07/09/1998

Applicant

DEUTSCHE THOMSON-BRANDT GMBH et al.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

#### 4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

European Patent Office D-80298 Munich

Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Authorized officer

SCHALINATUS, D

Tel.+49 89 2399-8242



## **PCT**

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	See Notification of Transmittal of International			
PD980063	FOR FURTHER ACTION	N Preliminar	y Examination Report (Form PCT/IPEA/416)	
International application No.	International filing date (day/mo	onth/year)	Priority date (day/month/year)	
PCT/EP99/06246	26/08/1999		07/09/1998	
International Patent Classification (IPC) or na H04N5/00	ational classification and IPC			
Applicant				
DEUTSCHE THOMSON-BRANDT	GMBH et al.			
and is transmitted to the applicant a  2. This REPORT consists of a total of	according to Article 36.  5 sheets, including this cove ad by ANNEXES, i.e. sheets o sis for this report and/or sheet 07 of the Administrative Instru	r sheet. f the descriptions containing re	ernational Preliminary Examining Authority  on, claims and/or drawings which have ectifications made before this Authority he PCT).	
IV Lack of unity of invention V Reasoned statement uncitations and explanation VI Certain documents city VII Certain defects in the incomplete city	opinion with regard to novelty, on nder Article 35(2) with regard ons suporting such statement ed	to novelty, inv	and industrial applicability entive step or industrial applicability;	
VIII - Certain observations o	The mematorial approach			
Date of submission of the demand	Date	of completion of	f this report	
09/03/2000	14.0	9.2000		
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich D-80298 Munich Tel: +49 89 2399 - 0 Tx: 523650	Bra	orized officer	The state of the s	

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/EP99/06246

#### 1. Basis of the report

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):

	ıne	report since they u	o not contain amendments.).				
	Des	scription, pages:					
	1-10	6 .	as originally filed				•
	Cla	ims, No.:					
	1-6		as received on	03/08/2000	with letter of	03/08/	′2000
	Dra	wings, sheets:					•
	1/2,	2/2	as originally filed				·
2.	The	amendments have	e resulted in the cancellation of:	•			
		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				
3.		This report has be considered to go l	een established as if (some of) t beyond the disclosure as filed (l	he amendme Rule 70.2(c)):	nts had not been	made, since	they have been
٠.	Add	litional observation	s, if necessary:				



International application No. PCT/EP99/06246

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes:

Claims 1-6

No:

Claims

Inventive step (IS)

Yes:

Claims 1-6

No:

Claims

Industrial applicability (IA)

Yes:

Claims 1-6

No: Claims

2. Citations and explanations

see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

#### **EXAMINATION REPORT - SEPARATE SHEET**

#### Re Item V

Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Reference is made to the following documents:

D1: US-A-5 689 507 (VLOT MARNIX C ET AL) 18 November 1997 (1997-11-18)

D2: EP-A-0 710 021 (HITACHI LTD) 1 May 1996 (1996-05-01)

D3: WO 97 00579 A (DIESS MICHAEL SCOTT; BLATTER HAROLD (US);

BEYERS WILLIAM WESLEY JR) 3 January 1997 (1997-01-03)

D4: SAEIJS R W J J ET AL: 'AN EXPERIMENTAL DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO AN EXPERIMENTAL DIGITAL CONSUMER RECORDER FOR MPEG-CODED VIDEO SIGNALS. SIGNALS: IEEE TRANSACTIONS ON CONSUMER ELECTRONICS, vol. 41, no. 3, 1 August 1995 (1995-08-01), pages 651-660 651, XP000539519 ISSN: 0098-3063 D5: US-A-5 579 183 (SAEIJS RONALD W J J ET AL) 26 November 1996 (1996-11-26)

D6: EP-A-0 774 753 (VICTOR COMPANY OF JAPAN) 21 May 1997 (1997-05-21)


D7: EP-A-0 749 244 (MATSUSHITA ELECTRIC IND CO LTD) 18 December 1996 (1996-12-18)

2. The subject-matter claimed in claims 1 and 4 is concerned with recording and replaying MPEG data streams, wherein MPEG timestamps are included in the bitstream.

Apparently, the use of timestamps added to Bitstreams for relocating replayed or received data to corresponding temporal positions in the Bitstream is a well known measure in the prior art.

This measure is known, for example, from D1, cf. column 8, line 1-24, from D2, col. 11, line 46-col. 16, line 16, or from D4, page 653-654, ...

Similar systems using MPEG data streams exist in the prior art, the closest being that of D5. In this system, timing information corresponding to transport packets is included and retrieved to recreate the MPEG information.



# INTERNATIONAL PRELIMINARY Inter EXAMINATION REPORT - SEPARATE SHEET

International application No. PCT/EP99/06246

There is apparently a difference between the system of D5 and that of the present claims 1 and 5 in that in the claimed method and apparatus internally added network timestamps are added for recording, and these timestamps are used to reduce the network jitter. In other words, further to the MPEG timestamps network related timestamps are added.

There are thus differences between the claimed invention and the closest prior art - that of the D5 - and apparently there is no suggestion in the rest of the cited documents which could lead the skilled person to modify the D5 system so as to arrive at an apparatus/method falling within the terms of the independent claims of this application. It must therefore be concluded that the claimed subject-matter is neither anticipated nor rendered obvious.

3. For the assessment of the present claims 1-6 on the question whether they are industrially applicable, no unified criteria exist in the PCT Contracting States. However, since the present claims relate to the technical field of MPEG recording or replaying no reason is apparent that the claimed subject-matter should not be industrially applicable.

#### Re Item VII

Certain defects in the international application

Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the documents D1-D7 is not mentioned in the description, nor are these documents identified therein.

20

30

## Claims

- 1. Method for recording or replaying data packets (A, SI) of an MPEG bitstream (A, B, C, D, SI) using a stream recorder (STRREC), wherein MPEG timestamps are included in the MPEG bitstream data packets to be recorded or to be replayed, characterised by:
- when recording, said MPEG bitstream data packets (A, SI) are input to said stream recorder through a network
   (1394TR, 1394RECS), which network causes network jitter and which network internally adds network timestamps to data packets of said bitstream in order to reduce by evaluating said network timestamps said network jitter when outputting said data packets from said network;
- 15 timestamps from said network are recorded in said stream recorder together with said MPEG bitstream data packets (A, SI) to be recorded;
  - when replaying said MPEG bitstream data packets (A, SI) from said stream recorder, said recorded network time-stamps are used to assign to the replayed MPEG bitstream data packets (A, SI) the correct temporal position as it was upon recording;
- the replayed and relocated MPEG bitstream data packets
   (A, SI) pass through said network (1394TRS, 1394REC)
   causing network jitter, which network again internally adds network timestamps to data packets of said bitstream in order to reduce by evaluating these network timestamps said network jitter when outputting said data packets from said network.
  - 2. Method according to claim 1, wherein said network temporally compresses the input data packets.
  - 3. Method according to claim 1 or 2, wherein said network is

an IEEE1394 connection.

- 4. Stream recorder (STRREC) for recording or replaying data packets (A, SI) of an MPEG bitstream (A, B, C, D, SI), wherein MPEG timestamps are included in the MPEG bitstream data packets to be recorded or to be replayed, including:
- a network interface (1394TR, 1394RECS, 1394TRS, 1394REC)
  through which said MPEG bitstream data packets (A, SI)

  are input to said stream recorder for recording, and
  through which said MPEG bitstream data packets replayed
  from said stream recorder pass again, which network
  causes network jitter and which network internally adds
  network timestamps to data packets of said bitstream in

  order to reduce by evaluating said network timestamps
  said network jitter when outputting said data packets
  from said network;
- stream recording means (STRREC) which record timestamps from said network together with said MPEG bitstream data packets, or which replay said MPEG bitstream data packets, wherein when replaying data of said MPEG bitstream data packets (A, SI) said recorded network timestamps are used to assign to the replayed MPEG bitstream data packets (A, SI) the correct temporal position as it was upon recording.
  - 5. Stream recorder according to claim 4, wherein said network temporally compresses the input data packets.
- 30 6. Stream recorder according to claim 4 or 5, wherein said network is an IEEE1394 connection.